

William J. Plaus, M.D., F.A.C.S.
Robert M. Macdonald, M.D., F.A.C.S.
Michael T. Napierkowski, M.D., F.A.C.S.
Lisa S. Schatz, M.D., F.A.C.S.

General, Thoracic
Vascular, Cancer
Advanced Laparoscopic

Rocky Mountain Surgical Associates, P.C.

4545 East Ninth Avenue
Suite 460
DENVER, COLORADO 80220
Phone: (303) 388-2922
FAX: (303) 388-2962

1606 Prairie Center Parkway
Suite 200
BRIGHTON, COLORADO 80601
Phone: (303) 659-5165
FAX: (303) 659 5527

Post Operative Suggestions Following Lumpectomy

ACTIVITY:

Plan to limit your physical activity after the lumpectomy. Be sure to arrange a ride home, since you will not be able to operate a motor vehicle for about one week. Avoid any tasks that require fine physical coordination until the following day.

For most people, light activity can be resumed a few days after surgery. Some patients may feel they fatigue easily for several days after the surgery. You may be taught arm exercises at the hospital to help restore the normal range of motion in your arm.

CARE OF INCISION:

You may remove the bandage 24 hours after surgery. If you do not have a drain, you may shower or bathe at this time. Do not soak in a tub. If you have a drain, do not shower until the drain is removed. It is fine to take a "sponge bath". Make sure your incision is covered with large bandage.

Wear a well fitting bra for several days, even while you sleep to give support and ease discomfort. You may be given a special bra at the hospital, depending on the size of your breasts and/or incision size.

If you have a drain under your arm, many people find it is helpful to safety pin the drain to the inside of their shirt, which will keep it hidden. Be sure to empty your drain and also to record how much drainage you are having. You will be asked to bring this record with you to your postoperative visit.

PAIN:

There may be some pain or discomfort at the operative site. You will be given a prescription for pain medication. Follow the directions given by your doctor.

DIET:

Resume your normal diet following surgery. It is normal for your appetite to be slightly less the remainder of the day of surgery. Be sure to drink plenty of fluids.

FOLLOW-UP CARE:

Return to the office as the surgeon requests. Please call for an appointment a day or so after your surgery.